

Safety Data Sheet

ISOPROPYL ALCOHOL 99.9%



Brand: **MAXTITE**

SECTION 1

IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Trade name	Isopropyl Alcohol
Synonyms	Dimethyl Carbinol, IPA, Isopropanol
Use	Fuel Additive, Hard-Surface Cleaner, Industrial & Institutional Cleaning, Industrial Use, Intermediate, Paint And Coatings, Personal Care, Pharmaceutical, Process Material, Process/Extraction Solvent, Raw Material For Chemical Processes, Raw Material For Cosmetic Products, Raw Material For Industry, Solvent
Company	Pacific Innovations LLC
Address	129 Seegers Ave Elk Grove Village, IL 60007
Telephone	(503) 455-8581
Emergency Contact	(Infotrac) 1-800-535-5053

SECTION 2

HAZARDS IDENTIFICATION

OSHA/GHS	Flammable Liquids	Category 2
Hazards	Eye irritation	Category 2A
	Specific target organ toxicity - single exposure	Category 3 (Narcotic effects)

LABEL ELEMENTS

Hazard symbols



Signal word Danger

Hazard statements	H225	Highly flammable liquid and vapour.
	H319	Causes serious eye irritation.
	H336	May cause drowsiness or dizziness.

Safety Data Sheet

ISOPROPYL ALCOHOL 99.9%



Brand: **MAXTITE**

Precautionary Statements

- Prevention** P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P233 Keep container tightly closed.
P240 Ground/bond container and receiving equipment.
P241 Use explosion-proof electrical/ ventilating/ lighting equipment.
P242 Use only non-sparking tools.
P243 Take precautionary measures against static discharge.
P280 Wear protective gloves/ eye protection/ face protection.
P264 Wash skin thoroughly after handling.
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P271 Use only outdoors or in a well-ventilated area.
- Response** P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P370 + P378 In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide for extinction.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P312 Call a POISON CENTER/doctor if you feel unwell.
- Storage** P403 + P405 + P235 Store locked up in a well-ventilated place. Keep cool.

SECTION 3

COMPOSITION/INFORMATION ON INGREDIENTS

<u>Component</u>	<u>CAS-No.</u>	<u>Weight percent</u>
2-Propanol	67-63-0	100

See Section 8 for Exposure Guidelines and Section 15 for Regulatory Classifications.

SECTION 4

FIRST AID MEASURES

- Eye contact** Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
- Skin contact** Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. When symptoms persist or in all cases of doubt seek medical advice. Wash contaminated clothing before re-use.
- Inhalation** Remove to fresh air. If breathing is irregular or stopped, administer artificial respiration. In case of shortness of breath, give oxygen. Call a physician immediately.

Safety Data Sheet

ISOPROPYL ALCOHOL 99.9%



Brand: **MAXTITE**

Ingestion If swallowed, call a poison control centre or doctor immediately. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person.

SECTION 5 | FIREFIGHTING MEASURES

FLAMMABLE PROPERTIES

Fire/explosion Vapours may form explosive mixture with air. Flash back possible over considerable distance. Use water spray to disperse the vapors. NFPA Class 1 B flammable liquid.

Suitable extinguishing media Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Protective equipment and precautions for firefighters In the event of fire, wear self-contained breathing apparatus.

Further information Keep containers and surroundings cool with water spray. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

SECTION 6 | ACCIDENTAL RELEASE MEASURES

Methods and materials for containment and cleaning up Evacuate personnel to safe areas. Remove all sources of ignition. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local/ national regulations (see section 13). Do not flush into surface water or sanitary sewer system.

SECTION 7 | HANDLING AND STORAGE

Safe handling advice Ensure all equipment is electrically grounded before beginning transfer operations. Keep away from heat and sources of ignition.

Storage/Transport pressure Ambient

Load/Unload temperature Ambient

SECTION 8 | EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING MEASURES Air contaminant levels should be controlled below the PEL or TLV for this product (see Exposure Guidelines). Ensure adequate ventilation, especially in confined areas. Use explosion-proof equipment.

PERSONAL PROTECTIVE EQUIPMENT

Eyes Chemical resistant goggles must be worn., Face-shield.

Safety Data Sheet

ISOPROPYL ALCOHOL 99.9%



Brand: **MAXTITE**

Skin Wear suitable protective clothing, gloves and eye/face protection.

Inhalation Inhalation Respiratory protection is normally not required except in emergencies or when conditions cause excessive airborne levels of mists or vapors. Use NIOSH approved respiratory protection.

EXPOSURE GUIDELINES

Components Exposure Limit(s)

2-Propanol 2-Propanol OSHA PEL (Permissible Exposure Limit) 400 ppm 980 mg/m³
ACGIH TLV (8-hour) 200 ppm
ACGIH STEL (Short Term Exposure Limit) 400 ppm

PEL= Permissible Exposure Limits

TWA= Time Weighted Average (8 hr.)

TLV= Threshold Limit Value

STEL= Short Term Exposure Limit (15 min.)

EL= Excursion Limit

WEEL= Workplace Environmental Exposure Level

SECTION 9

PHYSICAL AND CHEMICAL PROPERTIES

Appearance liquid;

Colour clear

Form liquid

Odour alcohol-like

Odour Threshold No data available

Flash point 12°C, 53.6°F;

Flammability Upper explosion limit: 12 %(V)
Lower explosion limit: 2 %(V)

Boiling point/boiling range 84.2°C, 180.3°F;

Melting point/range -88.5°C, -127.3°F;

Auto-ignition temperature 398.9°C, 750°F;

Decomposition temperature No data available

Flammability (solid, gas) No data available

Vapour pressure 33 mm Hg @ 20 °C, 68 °F;

Vapour density No data available

Density 0.785 g/cm³ @ 20 °C, 68 °F;

Water solubility miscible

Safety Data Sheet

ISOPROPYL ALCOHOL 99.9%



Brand: **MAXTITE**

Viscosity	0.1 mm ² /s
Viscosity, dynamic	2.4 mPa.s
pH	7
Evaporation rate	No data available
Partition coefficient: n-octanol/water	No data available
Volatile organic compounds (VOC) content	100 %

SECTION 10 | STABILITY AND REACTIVITY

Reactivity	No decomposition if stored and applied as directed.
Chemical stability	Stable under recommended storage conditions.
Conditions to avoid	Heat, flames and sparks. Avoid temperatures above 35°C, direct sunlight and contact with sources of heat.
Hazardous decomposition products	Combustion products include carbon dioxide, carbon monoxide and possibly other unidentified organic compounds.
Materials to avoid	Strong acids and oxidizing agents Acid anhydrides Aluminium Halogenated compounds
Hazardous polymerisation	Vapours may form explosive mixture with air.

SECTION 11 | TOXICOLOGICAL INFORMATION

Acute dermal toxicity	LD50 Rabbit: > 2,000 mg/kg (literature value)
Acute inhalation toxicity	LC50 Rat (8 hours): > 20 mg/l (literature value)
Acute oral toxicity	LD50 Rat: > 2,000 mg/kg (literature value)
Skin corrosion/irritation	(Rabbit) Not irritating (literature value)
Serious eye damage/eye irritation	(Rabbit) Irritating (literature value)
Respiratory or skin sensitisation	Guinea pig: not sensitizing; Buehler Test (literature value)

Safety Data Sheet

ISOPROPYL ALCOHOL 99.9%



Brand: **MAXTITE**

Germ cell mutagenicity	Genotoxicity in vitro: Type: Ames test System: Salmonella typhimurium; with and without metabolic activation Result: In vitro tests did not show mutagenic effects (literature value) Genotoxicity in vivo: No data available Assessment Mutagenicity: Based on available data, the classification criteria are not met.
Reproductive toxicity	Reproductive toxicity: No data available Assessment Reproductive toxicity: No data available Teratogenicity: No data available Assessment teratogenicity: No data available
STOT - single exposure	The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.
STOT - repeated Exposure	Rat; Oral; 90-day; NOAEL: 1,730 mg/kg LOAEL: 3,160 mg/kg Based on available data, the classification criteria are not met.
Aspiration toxicity	No data available
Carcinogenicity	Assessment carcinogenicity: Contains no ingredient listed as a carcinogen

SECTION 12

ECOLOGICAL INFORMATION

Toxicity to fish	LC50 (Pimephales promelas (fathead minnow)) 96 hours: > 100 mg/l; flow-through test (literature value)
Toxicity to aquatic invertebrates	EC50 (Daphnia magna (Water flea)) 24 hours: > 100 mg/l; static test (literature value)
Toxicity to algae	EC50 (Scenedesmus quadricauda (Green algae)) 7 d: > 100 mg/l; static test (literature value)
Chronic toxicity to fish	No data available
Chronic toxicity to aquatic invertebrates	No data available
Biodegradation	Readily biodegradable. BOD5 (5 d): 53 % (literature value)

Safety Data Sheet

ISOPROPYL ALCOHOL 99.9%



Brand: **MAXTITE**

Bioaccumulative potential No bioaccumulation is to be expected (log Pow \leq 4).

Mobility in soil No data available

Other adverse effects This substance is not considered to be persistent, bioaccumulating and toxic (PBT).

SECTION 13

DISPOSAL CONSIDERATIONS

Waste Code D001 - Ignitability (RQ 100 LB). This product has the RCRA characteristic of ignitability. Re-evaluation of the product may be required by the user at the time of disposal, since the product uses, transformations, mixtures, contamination, and spillage may change the classification.

Disposal methods Dispose of only in accordance with local, state, and federal regulations. Do not contaminate any lakes, streams, ponds, groundwater or soil.

Empty containers Empty containers retain product residue (liquid and/or vapor) and can be dangerous. DO NOT PRESSURIZE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND, OR EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION; THEY MAY EXPLODE AND CAUSE INJURY OR DEATH. Empty drums should be completely drained, triple-rinsed, properly bunged and promptly returned to a drum reconditioner, or properly disposed.

SECTION 14

TRANSPORT INFORMATION

DOT UN1219, Isopropanol, 3, II

IATA UN1219, Isopropanol, 3, II

IMDG UN1219, Isopropanol, 3, II

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Remarks No data available

Safety Data Sheet

ISOPROPYL ALCOHOL 99.9%



Brand: **MAXTITE**

SECTION 15

REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS

TSCA Inventory Listing

Components

2-Propanol

Cas-No.

67-63-0

All chemical substances in this product are either on the TSCA Active Inventory, or in compliance with the inventory.

SARA 302 Status

Components

Cas-No.

Weight percent

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 311/312 Classification

Flammable liquids, Eye irritation, Specific target organ toxicity - single exposure

SARA 313 Chemical

Components

2-Propanol

Cas-No.

67-63-0

Weight percent

100 %

US. EPA CERCLA Hazardous Substances (40 CFR 302)

Components

none

Cas-No.

Weight percent

INTERNATIONAL REGULATIONS

WHMIS Classification

Flammable liquids Category 2

Eye irritation Category 2A

Specific target organ toxicity -single exposure Category 3 (Narcotic effects)

European Union

Classification according to Regulation (EU) 1272/2008.

Flammable liquids, Category 2

Eye irritation Category 2

Specific target organ toxicity - single exposure Category 3 (Narcotic effects)

Safety Data Sheet

ISOPROPYL ALCOHOL 99.9%



Brand: **MAXTITE**

Australia. Inventory of Chemical Substances (AICS)	Listed
Japan. Inventory of Existing and New Chemical Substances (ENCS)	Listed
Japan. ISHL - Inventory of Chemical Substances	Listed
Canada. Domestic Substances List (DSL) Inventory	Listed
Canada. Non-Domestic Substance Listing (NDSL)	Not listed
Philippines. Inventory of Chemicals/ Chemical Substances (PICCS)	Listed
Korea. Existing Chemicals Inventory (KECI)	Listed
China. Inventory of Existing Chemical Substances (IECSC)	Listed
Mexico. National Inventory of Chemical Substances (INSQ)	Listed
New Zealand. Inventory of Chemical Substances (NZIoC)	Listed
Switzerland. Inventory of Notified New Substances (CHINV)	Listed
Taiwan. National Existing Chemical Inventory (NECI)	Listed

Please note: The names and GAS numbers which are used for this product in the stated inventories may deviate from the information which is listed in Section 3.

STATE REGULATIONS

California Prop. 65

Components

None

Cas-No.

SECTION 16

OTHER INFORMATION

	<u>Health</u>	<u>Flammability</u>	<u>Physical Hazard/Instability</u>
HMIS®	2	3	0
NFPA	2	3	0

THE DATA AND INFORMATION CONTAINED HEREIN ARE BEING FURNISHED FOR INFORMATIONAL PURPOSES ONLY, UPON THE EXPRESS CONDITION THAT EACH CUSTOMER SHALL MAKE ITS OWN ASSESSMENT OF APPROPRIATE USE AND APPROPRIATE SHIPPING, TRANSFER AND STORAGE MATERIALS AND PROCEDURES FOR PACIFIC INNOVATIONS LLC'S PRODUCTS. ALTHOUGH BASED ON INFORMATION SOURCES WHICH PACIFIC INNOVATIONS LLC CONSIDERS ACCURATE AND RELIABLE, PACIFIC INNOVATIONS LLC MAKES NO WARRANTY, EITHER EXPRESS OR IMPLIED, INCLUDING ANY WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, REGARDING THE VALIDITY OF THIS INFORMATION, THE INFORMATION SOURCES UPON WHICH THE SAME ARE BASED, OR THE RESULTS TO BE OBTAINED, AND EXPRESSLY DISCLAIMS LIABILITIES FOR DAMAGES OR INJURIES RESULTING FROM THE USE THEREOF.