

Safety Data Sheet

1. IDENTIFICATION

Product identifier

Product Name MaxTite Ultra-Strength 20% Vinegar for Home & Garden Cleaning

Other means of identification

SDS # PAC-003

UN/ID No UN2790

Recommended use of the chemical and restrictions on use

Recommended Use Industrial, Residential, and Laboratory use.

Details of the supplier of the safety data sheet

Supplier AddressPacific Innovations LLC

129 Seegers Avenue
Elk Grove Village, IL 60006

Emergency telephone number

Company Phone Number 1-503-455-8581

Emergency Telephone INFOTRAC 1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Clear liquid Physical state Liquid Odor Characteristic odor of vinegar

Classification

Skin corrosion/irritation	Category 1 Sub-category C
Serious eye damage/eye irritation	Category 1

Signal Word Danger

Hazard statements

Causes severe skin burns and eye damage



Precautionary Statements - Prevention

Do not breathe dusts or mists

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

PAC-003 - MaxTite Ultra-Strength 20% Vinegar for Home & Garden Cleaning

Revision Date: 04-May-2022

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

Wash contaminated clothing before reuse

IF INHALED: Remove person to fresh air and keep comfortable for breathing

Immediately call a POISON CENTER or doctor

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other hazards

Harmful to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No	Weight-%
Acetic acid	64-19-7	20

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST AID MEASURES

Description of first aid measures

General Advice Immediately call a poison center or doctor/physician. Provide this SDS to medical personnel

for treatment.

Eye Contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Immediately call a poison center or

doctor/physician.

Skin Contact IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

with water/shower. Wash contaminated clothing before reuse. Immediately call a poison

center or doctor/physician.

Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. Immediately call a poison center or doctor/physician.

Ingestion IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a poison center

or doctor/physician. Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

Symptoms Causes severe skin burns and eye damage. May be harmful in contact with skin.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically and supportively.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Foam. Dry chemical. Carbon dioxide (CO2). Water spray (fog). Sand.

Unsuitable Extinguishing Media Do not use heavy water stream.

Specific Hazards Arising from the Chemical

Not determined.

Hazardous combustion products Corrosive vapors.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Cool containers/ tanks with water spray. Prevent runoff from fire control or dilution from entering streams, sewers, or drinking water supply.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Use personal protective equipment as required. Wear protective gloves/protective clothing

and eye/face protection. Evacuate unnecessary personnel.

For Emergency Responders Follow all fire fighting procedures in Section 5. Use personal protection recommended in

Section 8.

Environmental precautions

Environmental precautions Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See

Section 12, Ecological Information. Notify authorities if liquid enters sewers or public waters.

Revision Date: 04-May-2022

Methods and material for containment and cleaning up

Methods for Containment Soak up and contain spill with an absorbent material.

Methods for Clean-Up Collect spilled materials for disposal. For waste disposal, see section 13 of the SDS.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Do not breathe

dusts or mists. Wear protective gloves/protective clothing and eye/face protection. Wash face, hands and any exposed skin thoroughly after handling. Wash contaminated clothing

before reuse.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from

sources of ignition — No smoking. Protect from direct sunlight.

Incompatible Materials Strong oxidizing agents. Strong bases. Metals.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Acetic acid	STEL: 15 ppm	TWA: 10 ppm	IDLH: 50 ppm
64-19-7	TWA: 10 ppm	TWA: 25 mg/m ³	TWA: 10 ppm
		(vacated) TWA: 10 ppm	TWA: 25 mg/m ³
		(vacated) TWA: 25 mg/m ³	STEL: 15 ppm
			STEL: 37 mg/m ³

Appropriate engineering controls

Engineering Controls Safety shower, eye wash fountain, and washing facilities should be readily available. Apply

technical measures to comply with the occupational exposure limits.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Chemical safety goggles/faceshield. Refer to 29 CFR 1910.133 for eye and face protection

regulations.

Skin and Body Protection Suitable protective clothing. Refer to 29 CFR 1910.138 for appropriate skin and body

protection.

Respiratory Protection Ensure adequate ventilation, especially in confined areas. Wear appropriate mask. Refer to

29 CFR 1910.134 for respiratory protection requirements.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or

smoke when using this product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid

AppearanceClear liquidOdorCharacteristic odor of

vinegar

Revision Date: 04-May-2022

Color Colorless Odor Threshold 0.21 - 1 ppm

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH 1.0 - 1.5

Melting point / freezing point no data available
Boiling point / boiling range no data available

Flash point None

Evaporation Rate no data available Flammability (Solid, Gas) Liquid-Not applicable

Flammability Limit in Air

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapor Pressure 11 mmHg Vapor Density 2.1 (acetic acid)

Relative Density 1.025

Water Solubility
Soluble in water
no data available
Partition Coefficient
Autoignition temperature
Decomposition temperature
No data available
no data available

Kinematic viscosity 1.5 cSt

PAC-003 - MaxTite Ultra-Strength 20% Vinegar for Home & Garden

Cleaning

Revision Date: 04-May-2022

Dynamic Viscosity no data available **Explosive Properties** Not an explosive **Oxidizing Properties** Not an oxidizer

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

This product reacts violently with bases, spattering and liberating heat.

Conditions to Avoid

Extremes of temperature and direct sunlight.

Incompatible materials

Strong oxidizing agents. Strong bases. Metals.

Hazardous decomposition products

Corrosive gases/vapor. Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact Causes serious eye damage.

Skin Contact Causes severe skin burns.

Inhalation Do not inhale.

Ingestion Do not ingest.

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Acetic acid 64-19-7	= 3310 mg/kg (Rat)	= 1060 mg/kg(Rabbit)	= 11.4 mg/L (Rat)4 h

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity Based on the information provided, this product does not contain any carcinogens or

potential carcinogens as listed by OSHA, IARC or NTP.

PAC-003 - MaxTite Ultra-Strength 20% Vinegar for Home & Garden

Cleaning

Occurring

Revision Date: 04-May-2022

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

 Oral LD50
 7,355.5556 mg/kg

 Dermal LD50
 2,355.60 mg/kg

 ATEmix (inhalation-dust/mist)
 25.30 mg/L

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects.

Component Information

Chemical name	Algae/aquatic plants	Fish	Crustacea
Acetic acid		75: 96 h Lepomis macrochirus mg/L	65: 48 h Daphnia magna mg/L
64-19-7		LC50 static	EC50 Static
		79: 96 h Pimephales promelas mg/L	
		LC50 static	

Persistence/Degradability

Not determined.

Bioaccumulation

There is no data for this product.

Mobility

Not determined

Tot determined				
Chemical name	Partition coefficient			
Acetic acid	-0.31			
64-19-7				

Other Adverse Effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected.

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

California Hazardous Waste Status

Chemical name	California Hazardous Waste Status
Acetic acid	Toxic
64-19-7	Corrosive
	Ignitable

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

PAC-003 - MaxTite Ultra-Strength 20% Vinegar for Home & Garden

Cleaning

DOT

Revision Date: 04-May-2022

UN/ID No UN2790

Proper Shipping Name Acetic acid solution

Hazard class 8
Packing Group III

IATA

UN2790

Proper Shipping Name Acetic acid solution

Transport hazard class(es) 8
Packing Group | || ||

<u>IMDG</u>

UN number UN2790

Proper Shipping Name Acetic acid solution

Transport hazard class(es) 8
Packing Group III

15. REGULATORY INFORMATION

International Inventories

Chemical name	TSCA	TSCA Inventory Status	DSL/NDSL	EINECS/ELI NCS	ENCS	IECSC	KECL	PICCS	AICS
Acetic acid	Х	ACTIVE	Х	Х	Х	X	Х	Х	X

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Acetic acid	5000 lb		RQ 5000 lb final RQ
64-19-7			RQ 2270 kg final RQ

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Acetic acid	5000 lb			Χ

PAC-003 - MaxTite Ultra-Strength 20% Vinegar for Home & Garden Cleaning

Revision Date: 04-May-2022

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Acetic acid	X	X	X
64-19-7			

16. OTHER INFORMATION

NFPA **Health Hazards Flammability** Instability **Special Hazards** Not determined Not determined Not determined Not determined Physical hazards **Personal Protection HMIS Health Hazards Flammability** Not determined Not determined Not determined Not determined

Issue Date:04-May-2022Revision Date:04-May-2022Revision Note:New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet